



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.


Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Fig. 3.

Plaga Orientalis.

Plaga Meridionalis.



Horizon.

Fig. 1.

Philos. Trans. N^o 460. TAB. VI.





Fig. 2.

J. Mynde, sc.

Light on the common Classics, to which I have confined this Examination, and which must be my Excuse for the Citations. I am, with great Respect,

The ROYAL SOCIETY'S

and your most obedient

humble Servant,

E. Latham.

XV. *Lumen Australe Romæ observatum die*
 27 Jan. An. 1740. a Didaco de Revillas,
Abbate Hieronym. P. Math. Prof. &
 R. S. S.

COELO undique nubilo, notoque vehementer flante, hora post Meridiem 6^a. rubescens lumen inter gradus 45 & 55 amplitudinis ortivæ australis apparebat. Maxima ejus supra horizontem latitudo gradus circiter 9 æquabat. Parte tamen Cœli horizonti proxima ad unum circiter gradum obtenebrata spatium fere parallelogrammum gradus 10 latum, 8 altum lumini concedebatur; quod in suprema parte magis, minus in ima splendebat. Inter densiores nubes altera summe nigricans *AB* TAB. VI. Fig. 3. horizonti propemodum parallela, supra lumen, meridiem versus protendebatur.

Post horæ semissem vividius sensim micabat splendor; sensimque iterum minuebatur: quod pluries usque ad horam 9 observatum. Interim tenuis horizonti

zonti itidem parallela nubecula *CD* lumen a meridionali plaga interfecans, comparebat. Circa horam 9 nubes aliæ ab orientali versus meridionalem plagam paulatim procedentes splendorem jam languescentem obtegebant: & circa horam $9\frac{1}{2}$ penitus exstinguebant. Post horam 12 largus imber decidebat.

Barometrum toto hoc tempore ad altitudinem pollicum Parisin. 27. $9\frac{1}{4}$ consistebat. Thermometrum mercuriale (quod in aqua ebulliente notat gr. 0.; in nive vero salis communis duabus quintis partibus permixta, gr. 180) designabat tunc temporis gr. 141.

Monemus interea lumen hocce nedum splendidius, verum & eminentius visum eodem tempore, & ad eandem plagam ab nonnullis *Viterbio* ad Urbem accedentibus, ac ab aliis in *Via Valeria* (hoc est, ad orientem Romæ) quinto supra vicesimum ab eadem urbe milliario iter facientibus.

Corrigenda in Philos. Transactions, N^o 459.

Page 646. Line 12. for 10° 02' 00'' read 10'.

647. Line 7. for Oct. 28. read 27 Oct.

648. Line 9. for 15^h 53' 4'' read 15^h 55' 4''.

L O N D O N :

Printed for T. WOODWARD, and C. DAVIS, over-
against *Gray's-Inn-Gate* in *Holbourn*; PRINTERS
to the ROYAL SOCIETY. M.DCC.XLIV.